INSTRUMENT VALVE MODEL: A080



SERVICE INTENDED

It is used for switching flow between one common connection and the other two connections.

The instrument valve is applied to the pressure gauge and pressure transmitter.

ORDERING INFORMATION

BASE MODEL - 1st thru 4th characters

A080: INSTRUMENT VALVE




5th Character		6th Character		7th Character		8th Character	
Code	Туре	Code	Gauge Connection Type	Code	Gauge Connection Size	Code	Process Connection Type
S	Isolation valve	W	NPT(F)	2	1/4"	W	NPT(F)
W	2 way manifold	М	NPT(M)	4	1/2"	М	NPT(M)
		Z	Other	9	Other	Z	Other


9th Character		10th Character		11th Character		12th Character	
	Process		Packing		Bleed &		Bleed &
Code	Connection	Code	Material	Code	Plug	Code	Plug
	Size						Size
2	1/4"	Т	PTFE	А	None	1	1/4"NPT(F)
4	1/2"	G	Graphite	В	Bleed	2	1/2"NPT(F)
				С	Bleed with Plug	3	No Bleed
						4	M8 screw
Z	Other					Z	Other

13th Character		14th	Character	15th Character		
Code	Material	Code	Unused	Code	Unused	
С	CS	Х	All T Bar	0		
Н	316SS					
L	316L SS					
J	MONEL					
Z	INCONEL					
Т	Other					

A080 : TYPE OF MOUNTING (1/2)

CODE W





A080 : TYPE OF MOUNTING (2/2)

CODE S

